






Dr. James Galvin ICANN Singapore 21 June 2011

Standard E-mail Today



EAD E-mail Tomorrow

IETF E-mail Address Internationalization (EAI) standard https://datatracker.ietf.org/wg/eai/charter/ Valid e-mail addresses are extended from 7-bit ASCII to UTF-8. for example, <u>εδαινος@αφιλαισ.ινφο</u>

This changes the underlying protocols SMTP, IMAP.

These servers and all components that interface to them need to be revised.

Afilias has built IDN versions of all components:

- E-mail clients (web mail, mobile), SMTP server, IMAP server.
- Plus an Afilias proprietary management console.

Afilias' IDN E-mail Solution

Deployed solutions available today include:

IDN E-mail Sandbox (version 1)

- Launched in Jan 2008, used for public beta testing.
- Supports 14 languages including: Arabic, Chinese (simplified and Traditional), Greek ,Hebrew, Hindi, Japanese, Korean, Persian (Farsi), Russian, Tamil, Ukrainian and Urdu

IDN E-mail Cloud (version 2.0)

- Amazon cloud for rapid setup trials and new customer installs
- Webmail for any mobile client with a web browser
- Security SSL on all protocols.

IDN E-mail Mobile

- Optimized mobile experience for smart phones.
- Native apps for iPhone, Nokia, Android.
- Works with Afilias Sandbox, Cloud or other standards based IDN E-mail systems.

What we learned: Standards incompatibility

An e-mail sent from an IDN server that has all ASCII addresses can be delivered to a legacy server.



Email that has *any* IDN addresses cannot be delivered to a legacy server and will bounce.



In the following case, mail is delivered to εδαινος but bounces from jsmith if ibm.com is on a Legacy server.




INFORMATION OF THE PHOTOGRAPHIC TOOLOGIA CONTRACTOR TOOLOGIA CONTR

The Gateway provides a transparent solution for all cases of incompatibility between IDN E-mail and Legacy email.

When delivering an IDN e-mail to a Legacy Server, the Gateway, acts as an intermediary and matches the IDN address to an ASCII address that can be recognized by the Legacy Server. It then matches the ASCII e-mail address back to the original IDN addresses when the user replies.

It can be deployed alongside an Afilias IDN E-mail Server, or separately for organizations using other standards based IDN e-mail servers within their own e-mail infrastructure.



See Gateway working!

Afilias' Gateway solution allows you to send and receive email addresses in ASCII, IDN, or a combination of both in the same email.

🖂 🔽 🛅 🔎 🗟 🔆 🎙 🖉 🍕 Inbox New Message Folders Search Fetch Mail Options Problem Help Log out
Inbox: Take a look at Afilias' IDN EMail and Gateway (1 of 1) 🤱
Mark as: Move I Copy This message to
Delete Reply Reply to All Forward Redirect View Thread Blacklist Whitelist Message Source Save as Print
Date: Mon, 13 Jun 2011 13:04:18 -0400 [05:04:18 PM UTC]
From: <испытание@испытание.пример.рф>
To: < 伊昭杰@环球电邮.info>
Cc: <ascii.based.user@gmail.com></ascii.based.user@gmail.com>
Subject: Take a look at Afilias' IDN EMail and Gateway
Headers: Show All Headers
Not only we can send email in our native languages, users with legacy system can get the mail too!
This message was sent using Afilias IDN Email
Delete Reply Reply to All Forward Redirect View Thread Blacklist Whitelist Message Source Save as Print
Mark as: Move I Copy This message to

In the second real of the second

Gmail Calendar Docur	nents Photos Reader Web more -	ascii.based.user@gmail.co
Gmail by Gaogle	Search Mail Search the Web Show search opt Create a filter	ions.
Mail Contacts Tasks	Spam Breakfast Burritos - Bake 5-10 minutes, serve with salsa Archive Report spam Delete • Point Move to Labels More action	Spam Recip
Compose mail Inbox (1)	іі 🗖 ☆ eai_mapped_address-испыт 🛛 Take a look at Afilias' IDN EMail and Gateway -	Automatically creates and
	ook at Afilias' IDN EMail and Gateway	maps ASCII addresses

from eai_mapped_address-испытание@испытание.пример.pф afiq2c4ndaoqx7iyxumc2cynbpoqxdilkqgqxdiyduf72gf5dawqwdil3ufy2c2s5uf72ganbogqxtillumaf3iybume@gateway.globalemail.info

to "eai mapped address-伊昭杰@环球电邮.info"

<afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gateway.global-email.info>

cc ASCII.Based.User@gmail.com

date Mon, Jun 13, 2011 at 1:26 PM

subject Take a look at Afilias' IDN EMail and Gateway


Not only we can send email in our native languages, users with legacy system can get the mail too!

This message was sent using Afilias IDN Email

Internal and a standard standa

pped_address-испытание@испытание.пример.pф" Indaoqx7iyxumc2cynbpoqxdilkqgqxdiyduf72gf5dawqwdil3ufy2c2s5uf72ganbogqxtillumaf3iybume@gateway.global-email.info> pped_address-伊昭杰@环球电邮.info" <afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@ga inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Mark as:MoveI Copy This message to eleteI Reply I Reply to All I Forward I Redirect I View Thread I Blacklist I Whitelist I Message Source I Sav Date: Mon, 13 Jun 2011 13:30:12 -0400 [05:30:12 PM UTC] From: Ascii User<ascii.based.user@gmail.com> To: eai_mapped_address-испытание@испытание.пример.pф<испытание@испытание.пример.pф> Cc: eai_mapped_address-@Rttake@sttake.info<</ascii.based.user@gmail.com></afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@ga 	d Save Now Discard Draft autosaved at 1:29 PM (0 minutes ago) "eai_mapped_address-испытание@испытание.пример.pф" <afiq2c4ndaoqx7iyxumc2cynbpoqxdilkqgqxdiyduf72gf5dawqwdil3ufy2c2s5uf72ganbogqxtillumaf3iybume@gateway.global-email.info> "eai_mapped_address-伊昭杰@环球电邮.info" <afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gateway.global-email.info> "eai_mapped_address-伊昭杰@环球电邮.info" <afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gateway.global-email.info> Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) All replies get sent to their proper wdd Bc Mark as: Move I Copy This message to Image: proper Delete I Reply I Reply to All I Forward I Redirect I View Thread I Blacklist I Whitelist I Message Source I Sav Recipient's inbox I Date: Mon, 13 Jun 2011 13:30:12 -0400 [05:30:12 PM UTC] From: Ascii User<ascii.based.user@gmail.com> I only To: eai_mapped_address-испытание@испытание.пример.pot<испытание@испытание.пример.pot Image: proper I only To: eai_mapped_address-испытание@ucnытание.пример.pot Image: proper I only To: eai_mapped_address-испытание@ucnытание.пример.pot Image: proper I only To: eai_mapped_address-испытание@ucnытание.пример.pot Image: proper</ascii.based.user@gmail.com></afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gateway.global-email.info></afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gateway.global-email.info></afiq2c4ndaoqx7iyxumc2cynbpoqxdilkqgqxdiyduf72gf5dawqwdil3ufy2c2s5uf72ganbogqxtillumaf3iybume@gateway.global-email.info>						- 1100 CLA .	
pped_address-испытание@испытание.пример.pф" Andaoqx7iyxumc2cynbpoqxdilkqgqxdiyduf72gf5dawqwdil3ufy2c2s5uf72ganbogqxtillumaf3iybume@gateway.global-email.info> pped_address-伊昭杰@环球电邮.info" <afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gr inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Mark as: Move I Copy This message to Proper elete I Reply I Reply to All I Forward I Redirect I View Thread I Blacklist I Whitelist I Message Source I Sav Date: Mon, 13 Jun 2011 13:30:12 -0400 [05:30:12 PM UTC] From: Ascii User<ascii.based.user@gmail.com> To: eai_mapped_address-испытание@испытание.пример.pф<испытание@испытание.пример.pф> Cc: eai_mapped_address-伊昭杰@环球电邮.info</ascii.based.user@gmail.com></afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gr 	"eai_mapped_address-испытание@испытание.пример.pф" <afiq2c4ndaoqx7iyxumc2cynbpoqxdilkqgqxdiyduf72gf5dawqwdil3ufy2c2s5uf72ganbogqxtillumaf3iybume@gateway.global-email.info> "eai_mapped_address-伊昭杰@环球电邮.info" <afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gr< td=""> Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be Mark as: Move I Copy This message to vdd Be More I Copy This message to tottor</afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gr<></afiq2c4ndaoqx7iyxumc2cynbpoqxdilkqgqxdiyduf72gf5dawqwdil3ufy2c2s5uf72ganbogqxtillumaf3iybume@gateway.global-email.info>	Reply	Reply to all	→ <u>Forwa</u>	rd			
Indaoqx7iyxumc2cynbpoqxdilkqgqxdiyduf72gf5dawqwdil3ufy2c2s5uf72ganbogqxtillumaf3iybume@gateway.global-email.info> pped_address-伊昭杰@环球电邮.info" <afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@ge nbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Mark as:Move I Copy This message to elete I Reply I Reply to All I Forward I Redirect I View Thread I Blacklist I Whitelist I Message Source I Sav Date: Mon, 13 Jun 2011 13:30:12 -0400 [05:30:12 PM UTC] From: Ascii User<ascii.based.user@gmail.com> To: eai_mapped_address-испытание@испытание.пример.pф<испытание@испытание.пример.pф> Cc: eai_mapped_address-испытание@испытание.npимер.pd<испытание@испытание.npимер.pd></ascii.based.user@gmail.com></afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@ge 	<afiq2c4ndaoqx7iyxumc2cynbpoqxdilkqgqxdiyduf72gf5dawqwdil3ufy2c2s5uf72ganbogqxtillumaf3iybume@gateway.global-email.info> "eai_mapped_address-伊昭杰@环球电邮.info" <afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gateway.global-email.info> Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Inbox: Date: Mon, 13 Jun 2011 13:30:12 -0400 [05:30:12 PM UTC] From: Ascii User From: Ascii User Inder: Sinapped_address-испытание@испытание.пример.pq<испытание@испытание.пример.pq> Inbox: C: eai_mapped_address-испытание@испытание.пример.pq C: eai_mapped_address-испытание@иcпытание.npumep.pq Info/1 Headers: Show All Headers</afiq4s6ivzuyvxtj3mca46hk7z4qqptzjnpjqkxc42lomzxq9999@gateway.global-email.info></afiq2c4ndaoqx7iyxumc2cynbpoqxdilkqgqxdiyduf72gf5dawqwdil3ufy2c2s5uf72ganbogqxtillumaf3iybume@gateway.global-email.info>	end	Save Now	Discard	Draft autosaved at 1	:29 PM (0 minutes ago)		
Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Sent to their proper Mark as: 「Move I Copy This message to」 Image: Sent to their proper Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Sent to their proper Mark as: 「Move I Copy This message to」 Image: Sent to their proper Inbox: Re: Take a look at Afilias' IDN EMail and Gateway (1 of 2) Sent to their proper Mark as: 「Move I Copy This message to」 Image: Sent to their proper Inbox: Date: Mon, 13 Jun 2011 13:30:12 -0400 [05:30:12 PM UTC] Sent to their inbox From: Ascii User <ascii.based.user@gmail.com> Imbox: To: eai_mapped_address-испытание@испытание.пример.pq<испытание@испытание.пример.pq> Cc: eai_mapped_address-/P昭杰@环球电邮.info Prom.asi mapped_address-/Prom.asi mathematication</ascii.based.user@gmail.com>	Mark as: Move I Copy This message to Image: Second Copy This	_					anbogqxtillumaf3iybum	e@gateway.global-email.info>
Part(s): Download All Attachments (in .zip file)	1/6/13 Headers: Show All Headers		Inbox: Re: Mark as: Delete Reply Date: Mon From: Asci To: eai_ Cc: eai_ Subject: Re:	Move I (Reply to <u>A</u> II , 13 Jun 20 i User <asci mapped_ac mapped_ac</asci 	look at Afilias' Copy This message to I Forward I Redirect I 011 13:30:12 -0400 i.based.user@gmail.co ddress-испытание@ис ddress-伊昭杰@环球电 at Afilias' IDN EMail a	IDN EMail and Ga /iew Thread I Blacklist I Wi (05:30:12 PM UTC) m> пытание.пример.рф<исп #.info<伊昭杰@环球电邮.in nd Gateway	ateway (1 of 2) hitelist <u>M</u> essage Sourd	sent to the proper Recipient inbox
Alternative parts for this section: unnamed [text/html] 0.93 KB lot only I can receive, and I can reply them to both of you, this gateway is reat!			ASCII User					
in unnamed [text/html] 0.93 KB description of you, this gateway is not only I can receive, and I can reply them to both of you, this gateway is neat!	ASCII User		2011/6/13 e	ai_mappe	d_address-испытан	иевиспытание.пример.рф	<pre>dil3ufy2c2s5uf72q</pre>	anboggxtillumaf3iybum





want to find out more?

- Visit Afilias at booth #13 to speak with us about Afilias' IDN Email solutions
- Visit us online at www.afilias.info/idnemail

